Product Comparison Features	SOC HOW					\$ cos 6.					XCD	
	RoadTrack Wired	MicroTrack	AssetTrack	AssetTrack Charge	AssetTrack Mini	AssetTrack Voyager	AssetTag	AssetTag Edge	AssetTrack OBD	AssetTrack Wired (BLE)	ECO1	AssetTemp
Applications												
Ideal for tracking vehicles or powered assets	\bigcirc	_	_	_	_	\bigcirc	_	_	\bigcirc	\bigcirc	_	_
Ideal for tracking non-powered equipment or assets	_	\bigcirc	\bigcirc	\bigcirc		\bigcirc	\bigcirc	\bigcirc		_	_	\bigcirc
Suitable for most Shipment tracking use- cases	_	\bigcirc		_	_	\bigcirc	\bigcirc		_	_	\bigcirc	_
Suitable for most OEM use-cases	_	\bigcirc	\bigcirc	_	\bigcirc	_	\bigcirc	\bigcirc	_	\bigcirc	_	\bigcirc
Suitable for most Manufacturing use-cases		\bigcirc	\bigcirc		\bigcirc	_	\bigcirc	\bigcirc		\bigcirc	_	\bigcirc
Suitable for most Construction use-cases	\bigcirc	_	_	\bigcirc	_	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	_	_
Suitable for most Dealership & BHPH use- cases	\bigcirc	_	\bigcirc		\bigcirc	_			\bigcirc	\bigcirc	_	
Suitable for most Packaging Manufacturer use-cases	_	_	\bigcirc	_	\bigcirc	_	\bigcirc	\bigcirc			\bigcirc	\bigcirc
Suitable for most Agricultural use-cases	\bigcirc	_	\bigcirc		_	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	_	\bigcirc
Battery												
Rechargeable battery	_	\bigcirc	_	\bigcirc	_	\bigcirc	_	_	_	_	_	_
Replaceable battery	_	_	\bigcirc	_	\bigcirc	_	\bigcirc	\bigcirc	_	_	_	\bigcirc
Perpetual Power	\bigcirc	_	_	_	_	_	_	_	\bigcirc	\bigcirc	_	_
Single use	_	_	_	_	_	_	_	_	_	_	\bigcirc	_
Up to 10 years battery life (reporting 1x/day)	_	_	\bigcirc	\bigcirc	_	_	_	_	_	_	_	_
Up to 5 years battery life (reporting 1x/day)	_	_	_	_	\bigcirc	_	\bigcirc	_	_	_	_	_
Up to 4 years battery life (reporting 1x/day)	_	_	_	_	_	_	_	\bigcirc	_	_	_	_
Up to 2.5mo (every 4hr reporting)	_	_	_	_	_	_	_	_	_	_	\bigcirc	_
Up to 1 month battery life (rechargeable)	_	\bigcirc	_	_	_	\bigcirc					_	_
Up to 2 weeks battery life (rechargeable)	_	_	_	_	_	_	_	_	_	_	_	_

	RoadTrack Wired	MicroTrack	AssetTrack	AssetTrack Charge	AssetTrack Mini	AssetTrack Voyager	AssetTag	AssetTag Edge	AssetTrack OBD	AssetTrack Wired (BLE)	ECO1	AssetTemp
Mounting & Enclosure												
Flange Mounting Option	_		\bigcirc	\bigcirc	\bigcirc		\bigcirc	_		\bigcirc	_	
Magnetic Mounting Option	_	_	\bigcirc	\bigcirc	\bigcirc	\bigcirc	_	_	_	_	_	_
Adhesive Mounting Option	_		Upon Request	Upon Request	Upon Request	Upon Request	\bigcirc	\bigcirc	\bigcirc	_	_	\bigcirc
IP68 Waterproof & dustproof enclosure	_	_	_	_	_	_	_	_	_	\bigcirc	_	_
IP67 Waterproof & dustproof enclosure	_		\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	_	_	_
IP65 Waterproof & dustproof enclosure	\bigcirc	_	_	_	_	_	_	_	_	_	_	_
IP54 Waterproof & dustproof enclosure	_			_	_	_	_			_	\bigcirc	_
IPX4 Waterproof & dustproof enclosure	_	_	_	_	_	_	_	_	_	_	_	\bigcirc
Reporting Frequency												
Ideal for location updates every 400 meters, approx. 30 seconds (when moving)	\bigcirc	\bigcirc	_	_	_	\bigcirc	\bigcirc	_	_	_	_	_
Ideal for location updates every 5 minutes (regardless of movement)	_	_	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	_	_	_	_	_
Ideal for location updates every day (in standard mode)	_	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	_		_	_	
Ideal for location updates up to 120 meters (in an open area and no obstacles)	_	_	_	_	_	_	_	_	_	_	_	\bigcirc
Every second (150ft outdoors, 75ft indoors)	_	_	_	_	_	_	_	\bigcirc		_	_	
Every second, Up to 120m (in an open area & no obstacles)	_	_	_	_	_	_	_	_	_	_	_	\bigcirc
User-defined time intervals; Default: every 30sec (moving) / every 1 hr (stationary)	_	_	_	_	_	_	_	_	\bigcirc	_	_	_
Alerts & Tracking Features												
Temperature tracking & alerts (with the addition of the TempTrack accessory)	_		\bigcirc	\bigcirc	\bigcirc	\bigcirc	_			\bigcirc	_	\bigcirc
Humidity tracking & alerts (with the addition of the TempTrack accessory)	_	_	\bigcirc	\bigcirc	\bigcirc	\bigcirc	_	_	_	\bigcirc	_	\bigcirc
Tamper alerts	_	_	\bigcirc	\bigcirc	\bigcirc	\bigcirc	_	_	_	_	_	_
Geofence alerts	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc
Additional Features												
2G Fallback for greater global coverage	\bigcirc		\bigcirc	\bigcirc	\bigcirc	\bigcirc	_		_	\bigcirc	\bigcirc	_
Wifi Positioning for greater indoor tracking	_	\bigcirc	_	\bigcirc	_	\bigcirc	_	_	_	\bigcirc	\bigcirc	_
White-glove account management and support	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc
Access to all features on our platform	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc

